



National Evaluation Service, Inc.

5203 Leesburg Pike, Suite 600, Falls Church, Virginia 22041-3401
Phone: 703/931-2187 Fax: 703/931-6505
website: www.nateval.org



PCR SP102 - 0.040 inch THICK PLASTICIZED POLYVINYL CHLORIDE (PVC) SHOWER PAN LINERS

Scope: This product category report indicates that the manufacturers listed herein have demonstrated compliance with the standard noted in this report (other code provisions have not been evaluated). Product shall be installed in accordance with all applicable provisions of the International Plumbing Code and the manufacturer's installation instructions.

Description: This PCR refers to 0.040 inch (1.0 mm) plasticized polyvinyl chloride sheet intended for use as a shower pan liner.

Evaluation Sought: Conformance with:

ASTM D 4551-96; *Specification for Poly(Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-Containment Membrane.*

Applicable Code Sections: Section 417.5.2.1 of the 1997 Edition of the *International Plumbing Code* with the 1999 Accumulative Supplement.

Product Identification: The following information shall be permanently marked on the product at intervals not exceeding 2 feet:

- The manufacturer's name or trademark
- Material designation
- Grade 40
- ASTM D 4551
- Product code inside the core of all shipping units.
- The initials of the NES along with the manufacturer's PCR file number.

Compotite Corporation
355 Glendale Boulevard
Los Angeles, CA 90026-5009

Composeal 40 mil Blue Vinyl Shower Pan Membrane (9/01)

This report is limited to the specific product and data and test reports submitted by the applicant in its application requesting this report. No independent tests were performed by the National Evaluation Service, Inc. (NES), and NES specifically does not make any warranty, either expressed or implied, as to any finding or other matter in this report or as to any product covered by this report. This disclaimer includes, but is not limited to, merchantability. This report is also subject to the limitation listed herein.