

**IAPMO RESEARCH AND TESTING, INC.**

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org

**CERTIFICATE OF LISTING**

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: April 2013 -Rev. 2/6/2014- Void After: April 2014

Product: Shower Pan Liners File No. 2225

Issued To: Compotite Corporation  
355 Glendale Blvd  
Los Angeles, CA 90026-5009

Identification: Material complying with ASTM D4551 shall be continuously marked and shall include the following spaced out at intervals of not more than 2 ft. (610 mm): Manufacturer's name (or brand name or trademark), material designation, designation, Grade 30 or Grade 40, with which the sheet complies, "ASTM D4551" and the UPC® certification mark.

Characteristics: A 30 or 40 mil vinyl waterproofing 48" to 72" wide for shower pan liners. Sheets shall be joined and installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)  
International Plumbing Code (IPC®)

*David McHenry*  
Chairman, Product Certification Committee

*Russ Chaney*  
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 2

-Rev. 2/6/2014-

Void After: April 2014

Product: Shower Pan Liners

File No. 2225

Issued To: Compotite Corporation

Products are in compliance with the following standard(s):

ASTM D4551-2012